



Shaft dia. mm inch	Unit number	Nominal dimensions												Bolt size mm inch	Bearing number	Housing number	Mass of unit Kg
		a	p	e	i	s	j	k	g	f	z	Bi	n				
12 1/2	UELFC 201	100	78	55.1	10	12	5	6	20.5	62	36.5	43.5	17.0	M 10	UEL 201	FC 204	0.79
	UELFC 201-8	3-15/16	3-5/64	2-11/64	25/64	15/32	13/64	15/64	13/16	2-7/16	1-7/16	1.7126	0.6693	3/8	UEL 201-8		0.79
15 5/8	UELFC 202	100	78	55.1	10	12	5	6	20.5	62	36.5	43.5	17.0	M 10	UEL 202	FC 204	0.77
	UELFC 202-10	3-15/16	3-5/64	2-11/64	25/64	15/32	13/64	15/64	13/16	2-7/16	1-7/16	1.7126	0.6693	3/8	UEL 202-10		0.77
17 11/16	UELFC 203	100	78	55.1	10	12	5	6	20.5	62	36.5	43.5	17.0	M 10	UEL 203	FC 204	0.76
	UELFC 203-11	3-15/16	3-5/64	2-11/64	25/64	15/32	13/64	15/64	13/16	2-7/16	1-7/16	1.7126	0.6693	3/8	UEL 203-11		0.76
20 3/4	UELFC 204	100	78	55.1	10	12	5	6	20.5	62	36.5	43.5	17.0	M 10	UEL 204	FC 204	0.74
	UELFC 204-12	3-15/16	3-5/64	2-11/64	25/64	15/32	13/64	15/64	13/16	2-7/16	1-7/16	1.7126	0.6693	3/8	UEL 204-12		0.75
25 1	UELFC 205	115	90	63.6	10	12	6	7	21.0	70	36.9	44.3	17.4	M 10	UEL 205	FC 205	1.03
	UELFC 205-16	4-17/32	3-35/64	2-1/2	25/64	15/32	15/64	9/32	53/64	2-3/4	1-29/64	1.7441	0.6850	3/8	UEL 205-16		1.02
30 1-1/8 1-1/4	UELFC 206	125	100	70.7	10	12	8	8	23.0	80	40.1	48.3	18.2	M 10	UEL 206	FC 206	1.34
	UELFC 206-18	4-59/64	3-15/16	2-25/32	25/64	15/32	5/16	5/16	29/32	3-5/32	1-37/64	1.9016	0.7165	3/8	UEL 206-18		1.36
	UELFC 206-20														UEL 206-20		1.31
35 1-1/4 1-3/8	UELFC 207	135	110	77.8	11	14	8	9	26.0	90	43.3	51.1	18.8	M 12	UEL 207	FC 207	1.77
	UELFC 207-20	5-5/16	4-21/64	3-1/16	7/16	35/64	5/16	23/64	1-1/64	3-35/64	1-45/64	2.0118	0.7402	7/16	UEL 207-20		1.85
	UELFC 207-22														UEL 207-22		1.78
40 1-1/2	UELFC 208	145	120	84.8	11	14	10	9	26.0	100	45.9	56.3	21.4	M 12	UEL 208	FC 208	2.15
	UELFC 208-24	5-45/64	4-23/32	3-11/32	7/16	35/64	25/64	23/64	1-1/64	3-15/16	1-13/16	2.2165	0.8425	7/16	UEL 208-24		2.20
45 1-5/8 1-3/4	UELFC 209	160	132	93.3	10	16	12	10	26.0	105	44.9	56.3	21.4	M 14	UEL 209	FC 209	2.74
	UELFC 209-26	6-19/64	5-13/64	3-43/64	25/64	5/8	15/32	25/64	1-1/64	4-9/64	1-49/64	2.2165	0.8425	1/2	UEL 209-26		2.85
	UELFC 209-28														UEL 209-28		2.76
50 1-7/8	UELFC 210	165	138	97.6	10	16	12	14	28.0	110	48.1	62.7	24.6	M 14	UEL 210	FC 210	3.06
	UELFC 210-30	6-1/2	5-7/16	3-27/32	25/64	5/8	15/32	35/64	1-7/64	4-21/64	1-57/64	2.4685	0.9685	1/2	UEL 210-30		3.15
55 2	UELFC 211	185	150	106.1	13	19	12	13	30.0	125	56.6	71.4	27.7	M 16	UEL 211	FC 211	4.19
	UELFC 211-32	7-9/32	5-29/32	4-11/64	3/64	3/4	15/32	3/64	1-3/16	4-59/64	2-15/64	2.8110	1.0906	5/8	UEL 211-32		4.38
60 2-1/4	UELFC 212	195	160	113.1	17	19	12	15	36.0	135	63.8	77.8	30.9	M 16	UEL 212	FC 212	5.37
	UELFC 212-36	7-43/64	6-19/64	4-29/64	43/64	3/4	15/32	19/32	1-27/64	5-5/16	2-3/64	3.0630	1.2165	5/8	UEL 212-36		5.53
65 2-1/2	UELFC 213	205	170	120.2	16	19	14	15	35.0	145	67.6	85.7	34.1	M 16	UEL 213	FC 213	6.07
	UELFC 213-40	8-5/64	6-11/16	4-47/64	5/8	3/4	35/64	19/32	1-3/8	5-45/64	2-21/32	3.3740	1.3425	5/8	UEL 213-40		6.17
70 2-3/4	UELFC 214	215	177	125.1	17	19	14	16	38.0	150	68.6	85.7	34.1	M 16	UEL 214	FC 214	7.07
	UELFC 214-44	8-15/32	6-31/32	4-59/64	43/64	3/4	35/64	5/8	1-1/2	5-29/32	2-45/64	3.3740	1.3425	5/8	UEL 214-44		7.08

Remark: 1) Regular production in "J" tolerance.
2) Bearing unit with grease holes and grease groove.
3) Bearing unit without stop pin.



Shaft dia. mm inch	Unit number	Nominal dimensions													Bolt size mm inch	Bearing number	Housing number	Mass of unit Kg
		<i>a</i>	<i>p</i>	<i>e</i>	<i>i</i>	<i>s</i>	<i>j</i>	<i>k</i>	<i>g</i>	<i>f</i>	<i>z</i>	<i>Bi</i>	<i>n</i>					
75	UELFC 215	220	184	130.1	18	19	16	17	39.0	160	72.8	92.1	37.3	M 16	UEL 215	FC 215	7.64	
3	UELFC 215-48	8-21/32	7-1/4	5-1/8	45/64	3/4	5/8	43/64	1-17/32	6-19/64	2-55/64	3.6260	1.4685	5/8	UEL 215-48		7.54	

- Remark: 1) Regular production in "J" tolerance.
 2) Bearing unit with grease holes and grease groove.
 3) Bearing unit without stop pin.