



Shaft dia. mm inch	Unit number	Nominal dimensions					Bearing number	Housing number	Mass of unit Kg
		<i>a</i>	<i>b</i>	<i>r</i>	<i>Bi</i>	<i>n</i>			
12 1/2	UCC 201	72	20	2.0	31.0	12.7	UC 201	C 204	0.53
	UCC 201-8	2-53/64	25/32	5/64	1.2205	0.5000	UC 201-8		0.53
15 5/8	UCC 202	72	20	2.0	31.0	12.7	UC 202	C 204	0.52
	UCC 202-10	2-53/64	25/32	5/64	1.2205	0.5000	UC 202-10		0.52
17 11/16	UCC 203	72	20	2.0	31.0	12.7	UC 203	C 204	0.51
	UCC 203-11	2-53/64	25/32	5/64	1.2205	0.5000	UC 203-11		0.51
20 3/4	UCC 204	72	20	2.0	31.0	12.7	UC 204	C 204	0.49
	UCC 204-12	2-53/64	25/32	5/64	1.2205	0.5000	UC 204-12		0.50
25 1	UCC 205	80	22	2.0	34.1	14.3	UC 205	C 205	0.65
	UCC 205-16	3-5/32	55/64	5/64	1.3425	0.5630	UC 205-16		0.64
30 1-1/8 1-1/4	UCC 206	85	27	2.0	38.1	15.9	UC 206	C 206	0.81
	UCC 206-18	3-11/32	1-1/16	5/64	1.5000	0.6260	UC 206-18		0.83
	UCC 206-20						UC 206-20		0.79
35 1-1/4 1-3/8	UCC 207	90	28	2.0	42.9	17.5	UC 207	C 207	0.90
	UCC 207-20	3-35/64	1-7/64	5/64	1.6890	0.6890	UC 207-20		0.96
	UCC 207-22						UC 207-22		0.91
40 1-1/2	UCC 208	100	30	2.5	49.2	19.0	UC 208	C 208	1.19
	UCC 208-24	3-15/16	1-3/16	3/32	1.9370	0.7480	UC 208-24		1.23
45 1-5/8 1-3/4	UCC 209	110	31	2.5	49.2	19.0	UC 209	C 209	1.49
	UCC 209-26	4-21/64	1-7/32	3/32	1.9370	0.7480	UC 209-26		1.59
	UCC 209-28						UC 209-28		1.51
50 1-7/8	UCC 210	120	33	2.5	51.6	19.0	UC 210	C 210	1.92
	UCC 210-30	4-23/32	1-19/64	3/32	2.0315	0.7480	UC 210-30		1.99
55 2	UCC 211	125	35	2.5	55.6	22.2	UC 211	C 211	2.21
	UCC 211-32	4-59/64	1-3/8	3/32	2.1890	0.8740	UC 211-32		2.36
60 2-1/4	UCC 212	130	38	2.5	65.1	25.4	UC 212	C 212	2.48
	UCC 212-36	5-1/8	1-1/2	3/32	2.5630	1.0000	UC 212-36		2.62
65 2-1/2	UCC 213	140	40	3.0	65.1	25.4	UC 213	C 213	2.97
	UCC 213-40	5-3/64	1-37/64	1/8	2.5630	1.0000	UC 213-40		3.05

Remark: 1) Regular production in "J" tolerance.  
 2) Bearing unit with grease holes and grease groove.  
 3) Bearing unit without stop pin.